DPM 319

600148 PAGE 1

MOBIL MATERIAL SAFETY DATA BULLETIN

MOBIL OIL CORPORATION ENVIRONMENTAL AFFAIRS AND TOXICOLOGY DEPT. 150 EAST 42ND STREET NEW YORK, N.Y. 10017 (USA)

PRODUCT IDENTIFICATION ************** *********** MOBIL DIE OIL LIGHT

SUPPLIER:

MOBIL OIL CORP.

CHEMICAL NAMES AND SYNONYMS:

PET. HYDROCARBONS AND ADDITIVES

USE OR DESCRIPTION:

LUBRICANT

HEALTH EMERGENCY TELEPHONE:

(212)883-4242

TRANSPORT EMERGENCY TELEPHONE:

(800)424-9300(CHEMTREC)

OTHER DESIGNATION: (TRN 600148)

********** TYPICAL CHEMICAL AND PHYSICAL PROPERTIES *********

APPEARANCE:

ODOR:

VISCOSITY:

AT 100 F. SUS

AT 40 C, CS

ASTM 1.5 LIQUID

VISCOSITY:

157.5 AT 210 F, SUS

30.0 AT 100 C. CS

MILD

44.0

5.3

RELATIVE DENSITY: 15/4 C

SOLUBILITY IN WATER:

NEGLIGIBLE

PH: NA

MG/M3

0.871 MELTING POINT: F(C)

POUR POINT: F(C)

201-71

NA BOILING POINT: F(C)

FLASH POINT: F(C) (METHOD)

>600(316)

395(202) (ASTM D92)

VAPOR PRESSURE: MM HG 20C

< .1

NA=NOT APPLICABLE NE=NOT ESTABLISHED D=DECOMPOSES

TLV(TWA):

PPM

WT PCT (APPROX)

HAZARDOUS INGREDIENTS:

NONE

NON-HAZARDOUS INGREDIENTS:

REFINED MINERAL DILS

> 95

ADDITIVES AND/OR OTHER INGREDS.

NOTE: TLVS SHOWN FOR GUIDANCE ONLY. FOLLOW APPLICABLE REGULATIONS.

INFORMATION GIVEN HEREIN IS OFFERED IN GOOD FAITH AS ACCURATE, BUT WITHOUT GUARANTEE. CONDITIONS OF USE AND SUITABILITY OF THE PRODUCT FOR PARTICULAR USES ARE BEYOND OUR CONTROL; ALL RISKS OF USE OF THE PRODUCT ARE THEREFORE ASSUMED BY THE USER AND WE EXPRESSLY DISCLAIM ALL WARRANIIES DE EVERY KIND AND NATURE, INCLUDING WARRANTIES DE MERCHANIABILITY AND FITNESS FOR A PARTICULAR PURPOSE IN RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. NOTHING IS INTENDED AS A RECOMMENDATION FOR USES WHICH INFRINGE VALID PATENTS OR AS EXTENDING LICENSE UNDER VALID PATENTS. APPROPRIATE WARNINGS AND SAFE HANDLING PROCEDURES SHOULD BE PROVIDED TO HANDLERS AND USERS.

MOBIL DIE OIL LIGHT

******** FIRE AND EXPLOSION HAZARD DATA *************

FLASH POINT: F(C) (METHOD) FLAMMABLE LIMITS: LEL UEL 395(202) (ASTM D92) .6 7.0

EXTINGUISHING MEDIA:

CARBON DIOXIDE, FOAM, DRY CHEMICAL AND WATER FOG.

SPECIAL FIRE FIGHTING PROCEDURES:

FIREFIGHTERS MUST USE SELF-CONTAINED BREATHING APPARATUS.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

EFFECTS OF OVEREXPOSURE:

NOT EXPECTED TO BE A PROBLEM.

********* EMERGENCY AND FIRST AID PROCEDURES ****************

EYE CONTACT:

FLUSH WITH WATER.

SKIN CONTACT:

WASH CONTACT AREAS WITH SOAP AND WATER.

INHALATION:

NOT EXPECTED TO BE A PROBLEM.

INGESTION:

NOT EXPECTED TO BE A PROBLEM WHEN INGESTED. IF UNCOMFORTABLE SEEK MEDICAL ASSISTANCE.

INCOMPATIBILITY: (MATERIALS TO AVOID)

STRONG OXIDIZERS

HAZARDOUS DECOMPOSITION PRODUCTS:

CARBON MONOXIDE. METAL OXIDES. PHOSPHORUS OXIDES. NITROGEN OXIDES. HAZARDOUS POLYMERIZATION: CONDITIONS TO AVOID:

WILL NOT OCCUR

MOBIL DIE OIL LIGHT

REPORT SPILLS AS REQUIRED TO APPROPRIATE AUTHORITIES. U. S. COAST GUARD REGULATIONS REQUIRE IMMEDIATE REPORTING OF SPILLS THAT COULD REACH ANY WATERWAY INCLUDING INTERMITTENT DRY CREEKS. REPORT SPILL TO COAST GUARD TOLL FREE NUMBER 800-424-8802.

PROCEDURES IF MATERIAL IS RELEASED OR SPILLED:

ADSORB ON FIRE RETARDANT TREATED SAWDUST, DIATOMACEOUS EARTH, ETC. SCRAPE UP AND REMOVE. DISPOSE OF AT AN APPROPRIATE WASTE DISPOSAL FACILITY IN ACCORDANCE WITH CURRENT APPLICABLE LAWS AND REGULATIONS, AND PRODUCT CHARACTERISTICS AT TIME OF DISPOSAL.

WASTE MANAGEMENT:

DISSOLVE WASTE IN A SOLVENT AND DISPOSE BY SUPERVISED INCINERATION IN COMPLIANCE WITH APPLICABLE LAWS AND REGULATIONS.

NO SPECIAL EQUIPMENT REQUIRED.

SKIN PROTECTION:

NO SPECIAL EQUIPMENT REQUIRED. HOWEVER, GOOD PERSONAL HYGIENE PRACTICES SHOULD ALWAYS BE FOLLOWED.

RESPIRATORY PROTECTION:

NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION.

VENTILATION:

NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION.

OTHER:

MOBIL DIE OIL LIGHT

ACUTE

ORAL TOXICITY: (RATS)

LD50: > 15 G/KG NONTOXIC(ESTIMATED) --- BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.

DERMAL TOXICITY: (RABBITS)

LD50: > 8 G/KG NONTOXIC(ESTIMATED) --- BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.

INHALATION TOXICITY: (RATS)

NOT APPLICABLE ——HARMFUL CONCENTRATIONS OF MISTS AND/OR VAPORS ARE UNLIKELY TO BE ENCOUNTERED THROUGH ANY CUSTOMARY OR REASONABLY FORESEEABLE HANDLING, USE, OR MISUSE OF THIS PRODUCT. EYE IRRITATION: (RABBITS)

EXPECTED TO BE NON-IRRITATING. --- BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.

SKIN IRRITATION: (RABBITS)

EXPECTED TO BE NON-IRRITATING. --- BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.

SUBACUTE AND MUTAGENICITY (SUMMARY)

CHRONIC OR SPECIALIZED (SUMMARY)

OTHER DATA

NONE

FILE CODES: (MOBIL USE ONLY)

(FILL NO: RL9331A) MHC: O* O* NA O* O* US79-116E-404-78 APPROVE
8042

ENVIRONMENTAL AFFAIRS AND TOXICOLOGY DEPT. REVISED:
MANAGER OF PRODUCT SAFETY INFORMATION, PHONE: (212)883-5594 1/ 6/82